



 Waxman Ceramics

VISION

— COLLECTION —



 Waxman Ceramics

VISION

— COLLECTION —

INDEX

2	About Us
4	Aire
6	Arianne
8	Bellevue
10	Blaze & Blaze Porcelain
12	Brilliant Whites
14	Corsica
16	Flax
18	Hannover
20	Himalaya
22	Jubilee
24	Marmor
26	Mist
28	Muse
30	Piemonte
32	Pure Travertine
34	Rockland
36	Stark
38	Subway
40	Subway Plus
42	Tiad
44	Tibur
46	Una
48	Urban Stone
50	Warsaw
52	Wave
54	Ultra Tile Products
56	Technical

WAXMAN CERAMICS

With over 40 years of experience in the tile industry, Waxman Ceramics is a family-run company based in West Yorkshire. We are the largest supplier of mosaics in the UK and we have grown to be one of the leading distributors of large format wall and floor tiles.

We have an extensive catalogue of ceramic and porcelain tiles, and we can provide solutions that are suitable for every project and sector, no matter how big or small the project may be.

At Waxman Ceramics we always develop and follow the latest trends and most innovative technologies thanks to our long-standing relationships with some of the world's most reputable manufacturers.

Understanding the needs of each project is important to us. Our expert Contract and Retail Team work across the UK to do just that and are always on hand to support Designers, Developers, Housebuilders, Architects, and other industry professionals to accommodate the demanding needs of any project.

HOW WE CAN HELP

Our team works with you every step of the way to ensure projects run as successfully as possible. Not only do Waxman Ceramics benefit from a highly experienced in-house team, but they also have expert Sales Representatives across the UK to assist with any development or planning.

Order free samples from any of our tile ranges to assist with your project needs. Our in-house Sample Team can provide samples boards to help with anything from site start-ups to showroom displays, ensuring that you and your clients are fully confident in your choices before purchasing.



Account Management: we have dedicated Account Managers who can be your point of contact to assist with all of your project needs



High-Quality Products from Across the Globe: we have long-standing relationships with some of the world's most reputable manufacturers



Sampling Service: our in-house Sample Team can send you free samples to ensure you and your clients are fully confident in your purchases



Support with Development & Planning: we can work with you to ensure that your project runs smoothly, from initial specification to managing stock levels and helping with any technical queries along the way



Extensive Catalogue: we can provide solutions for any type of project, big or small with our ceramic and porcelain tiles and mosaics





AIRE

TILES FEATURED

Roble
20x120cm

Format	Thickness	Frostproof	Colour Variation	Walls		Floors	
				Internal	External	Internal	External
20x120cm	9mm	Yes	V4	✓	✓	✓	

Glazed Porcelain



Blanco
20x120cm
Rectified



Cenzia
20x120cm
Rectified



Haya
20x120cm
Rectified



Roble
20x120cm
Rectified

Slip Resistance

		+36

ARIANNE



TILES FEATURED	Format	Thickness	Frostproof	Colour Variation	Walls		Floors	
					Internal	External	Internal	External
Almond 30x60cm	30x60cm	7mm	No	V2	✓			
	60x60cm Porcelain	6.7mm	No	V2	✓		✓	



Glazed Ceramic White Body



Pearl
60x60cm

4



Pearl
30x60cm



Pearl Silica
30x60cm



Almond
60x60cm


4



Almond
30x60cm



Almond Silica
30x60cm



BELLEVUE

TILES FEATURED

Ivory
30x60cm
Ivory Light PI Decor
30x60cm

Format	Thickness	Frostproof	Colour Variation	Walls		Floors	
				Internal	External	Internal	External
30x60cm Ceramic	8.4mm	No	V3	✓			
30x60cm PI Ceramic Decor	9.3mm	No	V3	✓			
45x45cm Porcelain	8.5mm	Yes	V3	✓	✓	✓	

Glazed Porcelain



White
45x45cm



Ivory
45x45cm



Grey
45x45cm



Slip Resistance		
	R10	+36


Glazed Ceramic



White Light
30x60cm




White Light PI Decor
30x60cm



Grey Light
30x60cm



Grey Light PI Decor
30x60cm



Ivory Light
30x60cm



Ivory Light PI Decor
30x60cm

BLAZE




TILES FEATURED


Blanco
33.3x55cm
Blanco Ondas
45x45cm

Format	Thickness	Frostproof	Colour Variation	Walls		Floors	
				Internal	External	Internal	External
33.3x55cm	8mm	No	V2	✓			
45x45cm Ceramic	8mm	No	V2	✓		✓	
45x45cm Porcelain	8mm	Yes	V4	✓	✓	✓	

Glazed Ceramic



Tortora
33.3x55cm




Tortora Ondas
33.3x55cm



Tortora
45x45cm

3



Perla
33.3x55cm




Perla Ondas
33.3x55cm



Perla
45x45cm


4



Blanco
33.3x55cm




Blanco Ondas
33.3x55cm



Blanco
45x45cm

4

Glazed Porcelain



Argent
45x45cm

4




Cenzia
45x45cm

4



Marengo
45x45cm

4



Marfil
45x45cm

4

BRILLIANT WHITES




TILE FEATURED


Brilliant White Matt
30x60cm

Format	Thickness	Frostproof	Colour Variation	Walls		Floors	
				Internal	External	Internal	External
30X60cm	10mm	No	V1	✓			
29.5x59.5cm R	10mm	No	V1	✓			


Glazed Ceramic




BW-3610
White Matt
30x60cm



BW-3600
White Gloss
30x60cm



BW-3615
White Matt
29.5x59.5cm Rectified



BW-3605
White Gloss
29.5x59.5cm Rectified



CORSICA

TILE FEATURED

Cenere
20x60cm

Format	Thickness	Frostproof	Colour Variation	Walls		Floors	
				Internal	External	Internal	External
20x60cm	9mm	No	V2	✓		✓	

Glazed Ceramic



Taupe
20x60cm

④



Moka
20x60cm

③



Cenere
20x60cm

④



Argent
20x60cm

③



FLAX

TILES FEATURED

Cream Light
30x60cm
Cream Light Decor
30x60cm

Format	Thickness	Frostproof	Colour Variation	Walls		Floors	
				Internal	External	Internal	External
30x60cm Ceramic	8.4mm	No	V3	✓			
30x60cm LZ Decor Ceramic	9.3mm	No	V3	✓			
30x60cm Porcelain	8.7mm	Yes	V3	✓	✓	✓	

Glazed Ceramic



Pearl Light
30x60cm



Pearl Light LZ Decor
30x60cm



Cream Light
30x60cm



Cream Light LZ Decor
30x60cm



Grey Light
30x60cm



Grey Light LZ Decor
30x60cm

Glazed Porcelain Floor Tiles



Pearl
30x60cm

④



Cream
30x60cm

④



Grey
30x60cm

④





HANNOVER

TILES FEATURED

Grey & Grey Decor
25x60cm
Antracita Floor Tile
33.3x33.3cm
Antracita
Antracita Decor
25x60cm

Format	Thickness	Frostproof	Colour Variation	Walls		Floors	
				Internal	External	Internal	External
25x60cm	9mm	No	V1	✓			
33.3X33.3cm	9mm	No	V1	✓		✓	

Glazed Ceramic



Ivoire
25x60cm



Ivoire Relieve Decor
25x60cm



Grey
25x60cm




Grey Relieve Decor
25x60cm



Antracita
25x60cm



Antracita Relieve Decor
25x60cm



Antracita
33.3x33.3cm

②




HIMALAYA

TILES FEATURED

Grey
30x60cm
Grey Decor Carved
30x60cm
Grey
45x45cm

Format	Thickness	Frostproof	Colour Variation	Walls		Floors	
				Internal	External	Internal	External
30x60cm	8.5mm	No	V3	✓			
30x60cm Decor	8.5mm	No	V3	✓			
45x45cm	8.5mm	No	V3	✓		✓	

Glazed Ceramic



Beige
30x60cm



Beige Decor Carved
30x60cm



White
30x60cm




White Decor Carved
30x60cm



Grey
30x60cm



Grey Decor Carved
30x60cm



Cream
45x45cm

③



White
45x45cm

③



Grey
45x45cm

④

Cream / Cream Decor



JUBILEE



TILES FEATURED	Format	Thickness	Frostproof	Colour Variation	Walls		Floors	
					Internal	External	Internal	External
Kilburn - Blue 45x45cm	45x45cm	8mm	Yes	V4	✓	✓	✓	

Glazed Porcelain



Waterloo - Coal
45x45cm A ③



Waterloo - Pearl
45x45cm A ④



Waterloo - Sky
45x45cm A ③



Kilburn - Blue
45x45cm A ④



Kilburn - Gris
45x45cm A ④

Slip Resistance		
		+36
		


MARMOR

Glazed Porcelain



Antica Gris - Matt
30x60cm

⑤




Antica Snow - Matt
30x60cm

⑤



Foro Gris - Matt
30x60cm

③



Statuario - Gloss
30x60cm

③



Statuario - Matt
30x60cm

④



Antica Gris - Matt



TILE FEATURED

Statuario - Matt
30x60cm

Format	Thickness	Frostproof	Colour Variation	Walls		Floors	
				Internal	External	Internal	External
30x60cm	7.8mm	Yes	V2	✓	✓	✓	



MIST

TILE FEATURED

Light & Duna Light
25x70cm

Format	Thickness	Frostproof	Colour Variation	Walls		Floors	
				Internal	External	Internal	External
25x70cm	8mm	No	V1	✓			


Glazed Ceramic



Light
25x70cm




Duna Light
25x70cm



Perla
25x70cm



Duna Perla
25x70cm



Tortora
25x70cm



Duna Tortora
25x70cm



Recommended floor tile:
Blaze Porcelain 45x45cm
Available in 4 Colours
see page 10



MUSE


TILES FEATURED

White
30x60cm

White Natural
60x60cm

Format	Thickness	Frostproof	Colour Variation	Walls		Floors	
				Internal	External	Internal	External
30x60cm	8.5mm	No	V2	✓			
60x60cm	10mm	Yes	V2	✓	✓	✓	

Glazed Ceramic



White
30x60cm




Prisma White Dec
30x60cm




Ivory
30x60cm




Prisma Ivory Dec
30x60cm




Grey
30x60cm



Prisma Grey Dec
30x60cm



Coal
30x60cm




Prisma Coal Dec
30x60cm

Glazed Porcelain




White Natural
60x60cm

A ④



Ivory Natural
60x60cm

A ④



Grey Natural
60x60cm

A ③



Coal Natural
60x60cm

A ②



Grey & Prisma Grey Dec

Slip Resistance		
	R10	+36
	B	



Taupe



PIEMONTE

TILE FEATURED

Grey
29.2x59.2cm R

Format	Thickness	Frostproof	Colour Variation	Walls		Floors	
				Internal	External	Internal	External
29.2x59.2cm R	9mm	Yes	V2	✓	✓	✓	
59.2x59.2cm R	10mm	Yes	V2	✓	✓	✓	

Glazed Porcelain




Bianco
29.2x59.2cm Rectified

④



Bianco
59.2x59.2cm Rectified

A ④



Graphite
29.2x59.2cm Rectified

③



Graphite
59.2x59.2cm Rectified

A ③



Grey
29.2x59.2cm Rectified

③



Grey
59.2x59.2cm Rectified

A ③



Taupe
29.2x59.2cm Rectified

③



Taupe
59.2x59.2cm Rectified

A ③

Slip Resistance		
		+40



PURE TRAVERTINE

TILES FEATURED

Ivory Matt
30x60cm
Ivory Groove
30x60cm

Format	Thickness	Frostproof	Colour Variation	Walls		Floors	
				Internal	External	Internal	External
30x60cm Porcelain	8.5mm	No	V3	✓		✓	
30x60cm Ceramic	8.5mm	No	V3	✓			

Ceramic Tiles



Beige Matt
30x60cm



Beige Groove Decor
30x60cm



Grey Matt
30x60cm



Grey Groove Decor
30x60cm



Ivory Matt
30x60cm



Ivory Groove Decor
30x60cm

Porcelain Tiles



Beige Natural
30x60cm

④



Grey Natural
30x60cm

④



Ivory Natural
30x60cm

④

Slip Resistance		
	R9	+36
	B	



ROCKLAND

TILES FEATURED


Mink
30x60cm
Anthracite
60x60cm

Format	Thickness	Frostproof	Colour Variation	Walls		Floors	
				Internal	External	Internal	External
30x60cm R	8.7mm	Yes	V2	✓	✓	✓	
60x60cm R	9.8mm	Yes	V2	✓	✓	✓	
60x60cm (20) R	20mm	Yes	V2				✓



Mink 60x60cm R 20mm

Glazed Porcelain



Pearl
30x60cm


④



Pearl
60x60cm
Rectified

④

20mm



Grey
30x60cm

④



Grey
60x60cm
Rectified

④

20mm



Anthracite
30x60cm

③



Anthracite
60x60cm
Rectified

④

20mm



Mink
30x60cm

④



Mink
60x60cm
Rectified

④

20mm

60x60cm

Slip Resistance

		+40


20mm

60x60cm is also available in 20mm thickness

20mm

Slip Resistance

	R11	+40
	C	



STARK

TILES FEATURED

White
60x60cm
Rectified

Format	Thickness	Frostproof	Colour Variation	Walls		Floors	
				Internal	External	Internal	External
30x60cm Rectified	9mm	Yes	V2	✓	✓	✓	
60x60cm Rectified	9mm	Yes	V2	✓	✓	✓	



Graphite
30x60cm Rectified

Porcelain Tiles




White
60x60cm Rectified ④



White
30x60cm Rectified ④




Grey
60x60cm Rectified ④



Grey
30x60cm Rectified ④




Pure Grey
60x60cm Rectified ④



Pure Grey
30x60cm Rectified ④



Graphite
60x60cm Rectified ④



Graphite
30x60cm Rectified ④

60x60cm Rectified (Only)

Slip Resistance		
	R10	+36




TILES FEATURED


Negro Brillo Bevelled
10x20cm

Format	Thickness	Frostproof	Colour Variation	Walls		Floors	
				Internal	External	Internal	External
10x20cm	8mm	No	V1	✓			


Glazed Ceramic




Blanco Brillo Bevelled
10x20cm




Blanco Mate Bevelled
10x20cm




Gris Brillo Bevelled
10x20cm




Pizarra Brillo Bevelled
10x20cm



Pizarra Mate Bevelled
10x20cm



Hueso Brillo Bevelled
10x20cm



Negro Brillo Bevelled
10x20cm



Victorian Blue Bevelled
10x20cm



Victorian Green Bevelled
10x20cm



Victorian Green Bevelled


SUBWAY PLUS

Format	Thickness	Frostproof	Colour Variation	Walls		Floors	
				Internal	External	Internal	External
10x30cm	8mm	No	V1	✓			


TILES FEATURED

Pizarra Brillo
10x30cm

Glazed Ceramic




Blanco Brillo
10x30cm



Crema Joy Brillo
10x30cm



Nickel Brillo
10x30cm



Pizarra Brillo
10x30cm




Glazed Ceramic



Perla
25x70cm



Perla Decor
25x70cm



Arena
25x70cm



Arena Decor
25x70cm



Neutro
25x70cm



Neutro Decor
25x70cm

TIAD

Format	Thickness	Frostproof	Colour Variation	Walls		Floors	
				Internal	External	Internal	External
25x70cm	8.5mm	No	V3	✓			

TILES FEATURED

Perla
Perla Decor
25x70cm

TIBUR



Light Grey Wave 25x55cm

TILES FEATURED	
White	25x55cm
Light Grey	30x30cm
Light Grey Wave (Inset)	25x55cm

Format	Thickness	Frostproof	Colour Variation	Walls		Floors	
				Internal	External	Internal	External
25x55cm	8mm	No	V4	✓			
25x55cm Wave	8mm	No	V4	✓			
30x30cm	8mm	Yes	V4	✓	✓	✓	

Glazed Ceramic

Glazed Porcelain



White
25x55cm



White - Wave
25x55cm



White
30x30cm

⑤



Light Grey
25x55cm



Light Grey - Wave
25x55cm



Light Grey
30x30cm

⑤



Beige
25x55cm




Beige - Wave
25x55cm



Beige
30x30cm

⑤



White Pearl - Coreset




UNA

TILES FEATURED

White Super Matt
29.7x60cm
White Super Matt
- Twist
29.7x60cm

Format	Thickness	Frostproof	Colour Variation	Walls		Floors	
				Internal	External	Internal	External
29.7x60cm	9mm	No	V1	✓			


Glazed Ceramic



White Pearl
29.7x60cm



White Pearl - Coreset
29.7x60cm



White Super Matt
29.7x60cm



White Super Matt - Twist
29.7x60cm

URBAN STONE



TILES FEATURED

Grey & Grey Murelto
30x60cm

Format	Thickness	Frostproof	Colour Variation	Walls		Floors	
				Internal	External	Internal	External
30x60cm	8.5mm	No	V3	✓			
30x60cm Murelto	8.5mm	No	V3	✓			
30x60cm Porcelain	8.5mm	Yes	V3	✓	✓	✓	


Glazed Ceramic



Greige
30x60cm



Greige Murelto
30x60cm




Grey
30x60cm



Grey Murelto
30x60cm

Glazed Porcelain



Greige Porcelain
30x60cm

④



Grey Porcelain
30x60cm

④

WARSAW



Grey 30x60cm

TILES FEATURED

Beige & Light Grey
30x60cm
Beige Mosaic
30x30cm
Light Grey Mosaic
30x30cm

Format	Thickness	Frostproof	Colour Variation	Walls		Floors	
				Internal	External	Internal	External
30x60cm	8.5mm	Yes	V1	✓	✓	✓	
Mosaic 30x30cm	8.5mm	Yes	V1	✓	✓	✓	

Slip Resistance

R10

Glazed Porcelain



Beige
30x60cm

A 4



Light Grey
30x60cm

A 5



Grey
30x60cm

A 4



Dark Grey
30x60cm

A 4




Beige Mosaic
30x30cm

A 4



Light Grey Mosaic
30x30cm

A 5



Grey Mosaic
30x30cm

A 4



Dark Grey Mosaic
30x30cm

A 4



WAVE

TILES FEATURED

Concrete
30x60cm
Concrete Resin
60x60cm

Format	Thickness	Frostproof	Colour Variation	Walls		Floors	
				Internal	External	Internal	External
30x60cm	8.5mm	No	V1	✓			
30x60cm Resin	9.7mm	No	V1	✓			
60x60cm	9mm	Yes	V1	✓	✓	✓	


Glazed Ceramic



Snow
30x60cm Rectified



Snow Resin
30x60cm Rectified



Concrete
30x60cm Rectified




Concrete Resin
30x60cm Rectified




Tortora
30x60cm Rectified



Tortora Resin
30x60cm Rectified



Plumb
30x60cm Rectified



Plumb Resin
30x60cm

Glazed Porcelain



Snow
60x60cm

⑤



Concrete
60x60cm

④



Tortora
60x60cm

④



Plumb
60x60cm

③

Wall & Floor Adhesives



Ultra Tile Fix ProFlex SPES Standard Set Flexible S1 Adhesive 20kg

S1 Flexibility for timber floors, swimming pools and underfloor heating systems
Colour: White & Grey
3-20mm Bed thickness
2 Hours Pot Life
20kg: 5.2 - 5.5L Mixing ratio
Application Temperature: 5°C - 25°C
Conforms to C2 TE S1
Lifetime Guarantee



Ultra Tile Fix ProFlex SP Rapid Set Flexible S1 Adhesive 20kg

Ideal for use with porcelain, mosaic, natural stone and glass tiles
S1 flexibility for timber floors, swimming pools and underfloor heating systems
Unit Size: 20kg Bags
Colour: White & Grey
Classification: EN12004 Class C2FT S1
Bed Thickness: 3mm – 20mm
Grout After*: 4 hours
Coverage: 4.5kg / m² at 3mm Bed Thickness
Pot Life*: 60 Minutes at 20°C
Set Time*: 2.5 Hours at 20°C
Application Temperatures: 5°C to 25°C

Wall Adhesive Ready Mixed



ProSuper Grip High Grab Acrylic Wall Tile Adhesive

Ideal for ceramic tiles and porcelain or natural stone mosaics
Unit Size: 15kg Buckets
Colours: Off-white
Classification: EN12004 Class D1TE
Bed Thickness: 3mm
Grout After: 18 hours (This is not the product's set time.)
Coverage: 1.8kg per m²
Open Time: 20 Minutes
Adjustment Time: 20 Minutes
Application Temperatures: 5°C to 25°C

Levelling Compound



Ultra Tile Fix ProFlex Rapid Set S2 Fibre Reinforced Flexible S2 Adhesive 20kg

Ideal for use with all tile types including brick slips, resin backed and quartz
Unit Size: 20kg Bag
Colour: White & Grey
Classification: EN12004 Class C2F S2
Bed Thickness: 3mm – 20mm
Grout After: 4 hours
Coverage: 4.5kg / m² at 3mm Bed Thickness
Pot Life: 60 Minutes at 20°C
Set Time: 3.5 Hours at 20°C
Application Temperatures: 5°C to 25°C



Ultra Tile ProGrip FX Semi Rapid

Ideal for use with porcelain, mosaic and natural stone tiles
Unit Size: 20kg Bags
Colours: White & Grey
Classification: EN12004 Class C2TE S1
Bed Thickness: 3mm – 20mm
Grout After*: 7 hours
Coverage: 4.5kg / m² at 3mm Bed Thickness
Pot Life*: 2.5 Hours at 20°C
Set Time*: 7 Hours at 20°C
Application Temperatures: 5°C to 25°C



ProLevel Fibre 20kg

3-75mm Depth
3 Hours Set Time
8 Hours Tile After
Conforms to EN 13813 CT C35 F6
Internal use
Formulated with Fibre Bond technology
Excellent flexibility for timber floors and underfloor heating systems



Ultra Tile Mixing Bucket

Grout



Ultra Tile Fix ProGrout Flexible Wall & Floor Grout

Designed for use with all tile types
Unit Size: 3kg & 10kg
Classification: EN13888 CG2 WA
Application Thickness: 1mm – 20mm
Initial Drying Time*: 10-15 Minutes
Pot Life*: 30-60 Minutes
Light Foot Traffic*: 3-4 Hours
Hard Set Time*: 12 Hours
Application Temperatures: 5°C to 25°C
Choice of colours available

Silicone



Ultra Tile Fix Pro Sealer Silicone Sealant

Neutral cure product
Low odour, no slump formulation
Enhanced body and elasticity
Ideal for all kitchen and bathroom applications
Colour match finishing for tiling installations
Resistant to UV due to ColourGuard technology
High humidity areas
Mould resistant
Fully ISO compliant
Internal and external use
Size: 310ml
Choice of colours available

Primer



ProPrimer Advanced Polymer Primer for Exceptional Bond and Multiple Substates

Can be used on walls or floors
Designed for both porous and non-porous substrates
Can be used internally and externally
Enhances adhesion and reduces substrate porosity
Suitable for calcium sulphate screeds
Underfloor heating
Internal and external surfaces
Size: 1L & 5L
Lifetime guarantee
NBS Source registered for ease of specification

Tanking Kit



ProShield Tanking Kit

UltraTile ProShield provides waterproof protection to backgrounds in wetrooms, domestic bathrooms, kitchens and showers and is suitable for both walls and floors prior to tiling. It is a polymer emulsion based product for use on internal installations only.

A flexible waterproof and crack bridging coating system
Easy to use components and no priming required
Provides complete protection from moisture
For use on all water sensitive backgrounds
Designed for wetrooms, showers, bathrooms and kitchens
Suitable for underfloor heating
8m² coverage per unit
Tape available to buy separately
Tile after 24 hours
Internal use
Waterproof
Size: 8kg (includes flexible waterproof coating and membrane tape)

Cleaners Protectors & Sealants



ProClean Easy Clean Tile Protector

- Water-based temporary protection for all types of porcelain and natural stone
- 100% protection against cement residues & polymer staining
- Protects surface against discoloration when using pigmented grouts, brush in sands & pointing mortars
- Sealer is removed during the washing off process after grouting



ProClean Grout Hazle Remover

- Effortlessly removes cement, efflorescence and grouting residues
- Suitable for use on non-acid sensitive surfaces
- Fast-acting formula
Internal & external use
Removes pointing mortar residue



ProClean Porcelain Tile & Stone Cleaner

- Everyday cleaner suitable for all hard surfaces
- Contains no acids, alkalis or bleaches
- Leaves Surfaces clean & germ free
Environmentally Friendly
- Kills 99.9% of bacteria



ProClean Resin Off

- Designed to remove polymer hazes, films and residues from jointing mortars, resins & surface sealants
- Ready to use, gel like formula
- Suitable for porcelain tiles and other porous natural & artificial stones
- Highly effective remover - works in less than 20 minutes



ProClean Xtreme Clean

- Dissolves & removes ingrained, dirt wax films grease & oil
- Acid free formula
- Suitable for use with Natural Stone, Ceramic & Porcelain Tiles



ProClean Grout Aid


- Final rinse additive for easy wash-down
- Helps eliminate Grout Haze
- Suitable for use with Natural Stone, Ceramic & Porcelain Tiles
- Simply add to clean water




ProClean Tile & Grout Sealer

- Protects tiles and grout against oil and water stains
- Professional natural matt stain protection
- Suitable for interior & exterior use
- Low odour non-flammable formula


Colour Variation Guide




V1



V2



V3



V4

- V1** No variation
- V2** Slight variation
- V3** Moderate variation
- V4** Substantial variation

Floor Wear Rating - Guidance for use as below

①	Floors with very little traffic. No abrasion. (eg Bathrooms)
②	Floors with light traffic. Light abrasion. (eg All rooms in the house except kitchens and rooms leading directly to the outside)
③	Floors with moderate traffic. Medium abrasion. (eg All rooms in the house, entrance ways must be protected with mats)
④	Floors with heavy traffic. High abrasion. (eg All rooms in the house, restaurants and light commercial)
⑤	Floors with very heavy traffic. High abrasion. (eg Commercial areas, Shopping Malls)
⑥	Unglazed tiles. Suitable for all very heavy traffic areas.

Anti-Slip Rating Guide

Ramp Testing

DIN-EN 16165 Annexe B - Shod Traffic
(Formerly DIN51130)

Classification	Angle
R9	6° < 10°
R10	10° < 19°
R11	19° < 27°
R12	27° < 35°
R13	> 35°



DIN-EN16165 Annexe A - Barefoot Traffic
(Formerly DIN51097)

Classification	Angle
A	12° < 17°
B	18° < 23°
C	> 24°



A Anti Slip

Pendulum Testing

PTV = Pendulum Test Value

British Wet Pendulum Test - BSEN 13036-4 (Formerly BS 7976)		
	4S Slider	TRL (55 Slider)
	Shod Traffic	Barefoot Traffic
High Slip Potential	0 - 24	0 - 19
Moderate Slip Potential	25 - 35	20 - 39
Low Slip Potential	36+	40 - 74
Very Low Slip Potential	75+	75+

The information contained within this document is, to the best of our knowledge, accurate at the time of production.

We reserve the right to modify this document at any time.

Whilst every attempt has been made to accurately reproduce colours and textures, images used within this document are only intended as a guide.

Please refer to actual product samples before specifying or ordering.