




Waxman Ceramics
Architectural Tiles



CA

series CANDY

Glazed Ceramic EN14411
Annexe L - BIII

Glazed Porcelain EN14411
Annexe G - BI a



CA Series

Glazed Porcelain

CANDY

COLOURS



CA-220
White Gloss
11.7x11.7cm



CA-221
Turquoise Gloss
11.7x11.7cm



CA-222
Brown Gloss
11.7x11.7cm



CA-223
Olive Gloss
11.7x11.7cm



CA-224
Teal Gloss
11.7x11.7cm



CA-225
Indigo Gloss
11.7x11.7cm



CA-226
Beige
11.7x11.7cm



CA-227
Tan
11.7x11.7cm

CA Series

Glazed Ceramic

CANDY

COLOURS



CA-227
Tan Matt
12.5x25 cm



CA-228
White Matt
12.5x25 cm



CA-229
Sand Matt
12.5x25 cm



CA-230
Grey Matt
12.5x25 cm



CA-231
Pink Matt
12.5x25 cm



CA-232
Light Green Matt
12.5x25 cm



CA-233
Teal Matt
12.5x25 cm



CA-234
Burgundy Matt
12.5x25 cm

CA Series

Glazed Ceramic

CANDY

COLOURS



CA-235
Deep White Gloss
12.5x25 cm



CA-236
Light Grey Gloss
12.5x25 cm



CA-237
Grey Gloss
12.5x25 cm



CA-238
Terracotta Gloss
12.5x25 cm



CA-239
Light Green Gloss
12.5x25 cm



CA-240
Dark Green Gloss
12.5x25 cm



CA-241
Dusky Blue Gloss
12.5x25 cm



CA-242
Black Gloss
12.5x25 cm



CA-234 Burgundy Matt



CA-239 Light Green Gloss



CA-227 Tan Matt / CA-224 Teal Gloss



CA-234 Burgundy Matt



CA-235 Deep White Matt



CA-222 Brown Gloss




CA-230 Grey Matt



CA-228 White Matt



CA-241 Dusky Blue Gloss



CA-223 Olive Gloss



CA-227 Tan Matt



CA-220 White Gloss



CA-231 Pink Matt



CA-237 Grey Gloss



CA-242 Black Gloss



CA-229 Sand Matt



CA-224 Teal Gloss



CA-240 Dark Green Gloss



CA-238 Terracotta Gloss



CA-236 Light Grey Gloss



CA-239 Light Green Gloss



CA-221 Turquoise Gloss









CA-225 Indigo Gloss

CA Series

Glazed Ceramic
Glazed Porcelain

CANDY

TECHNICAL FEATURES

		Norm Standards	Test Results
	Product Classification	UNI EN 14411	Glazed Ceramic EN14411 Annexe L - BIII Glazed Porcelain EN14411 Annexe G - BI a
	Dimensional and surface quality	UNI EN ISO 10545-2	Complies with Standards
	Water absorption	UNE-EN-ISO 10545-3	Ceramic >10% Porcelain <0.5%
	Modulus of Rupture	UNI EN ISO 10545-4	Porcelain Minimum 35N/mm ² Ceramic Thickness >7.5mm minimum 12N/mm ²
	Chemical Resistance	UNI EN ISO 10545-13	Both GA GHA Matt & White Gloss GLB (Gloss) GHB (Gloss)
	Stain resistance	UNI EN ISO 10545-14	Class 5

Waxman Ceramics Architectural Tiles

Head Office **01422 377123**

Grove Mills
Elland
West Yorkshire
HX5 9DZ
England

Email info@waxmanarchitectural.co.uk
Web www.waxmanarchitectural.co.uk

Waxman Ceramics Architectural Tiles is a division of Waxman Ceramics Ltd - Part of the Waxman Group

The information contained within this document is, to the best of our knowledge, accurate at the time of production. We reserve the right to modify this document at any time. Whilst every attempt has been made to accurately reproduce colours and textures, images used within this document are only intended as a guide. Please refer to actual product samples before specifying or ordering.