



Waxman Ceramics
Architectural Tiles



MURALS

collection

NORLAND

Glazed Porcelain
EN14411 Annexe G
Group Bla

EPD 



COLOURS




White
20x20cm



Beige
20x20cm



Grey
20x20cm



Black
20x20cm

Slip Resistance		
	R10	+36





Beige 20x20cm





Grey 20x20cm











White / Black 20x20cm



Black / White 20x20cm

TECHNICAL FEATURES

		Norm Standards	Test Results
	Product Classification	UNI EN 14411	EN14411 Annexe G
	Dimensional and surface quality	UNI EN ISO 10545-2	Complies with Standards
	Water absorption	UNE-EN-ISO 10545-3	< 0.5%
	Breaking Strength	UNI EN ISO10545-4	>35N/mm2
	Resistance to Surface Abrasion	UNI EN ISO 10545-7	PEI 4
	Chemical Resistance	UNI EN ISO 10545-13	Resistance to Acid and Alkali of low concentration GLA Resistance to Acid and Alkali of high concentration GHA Resistance to domestic products and salt for pools GA
	Slip Resistance	DIN 51130 DIN 51097 UNE EN 12633/2003 (Pendulum)	R10 A Class 2 (+36)
	Stain Resistance	UNI EN ISO 10545-14	Class 5

Waxman Ceramics Architectural Tiles

Head Office

01422 377123

Grove Mills
Elland
West Yorkshire
HX5 9DZ
England

Email info@waxmanarchitectural.co.uk

Web www.waxmanarchitectural.co.uk

Waxman Ceramics Architectural Tiles is a division of Waxman Ceramics Ltd - Part of the Waxman Group

The information contained within this document is, to the best of our knowledge, accurate at the time of production. We reserve the right to modify this document at any time. Whilst every attempt has been made to accurately reproduce colours and textures, images used within this document are only intended as a guide. Please refer to actual product samples before specifying or ordering.