



Waxman Ceramics
Architectural Tiles



OS

series

OSAKA

Glazed Porcelain

UNI EN14411

Annexe G Group B1a GL



OS Series

Glazed Porcelain

OSAKA

COLOURS



OS-100 White



OS-101 Grey



OS-102 Dark Grey



OS-103 Green



OS-104 Blue



45x45cm



29.5x59.2cm
Rectified





30x60cm



59.2x59.2cm
Rectified



60x60cm




OS Series


Glazed Porcelain

OSAKA


MOSAICS




OS-100 White
Hexa Mosaic




OS-101 Grey
Hexa Mosaic




OS-102 Dark Grey
Hexa Mosaic




OS-103 Green
Hexa Mosaic




OS-104 Blue
Hexa Mosaic




OS-100 White
Mosaic




OS-101 Grey
Mosaic




OS-102 Dark Grey
Mosaic




OS-103 Green
Mosaic



OS-104 Blue
Mosaic



28.1x34.1cm
Hexa mosaic



30x30cm
7cm mosaic

FINISHES



Natural

Slip Resistance		
	R10	

Anti Slip

Slip Resistance		
	R11	+36
	B	

SIZE	29.5x59.2cm Rectified	30x60cm	45x45cm	59.2x59.2cm Rectified	60x60cm	Mosaic 4.7x4.7cm (29.5x29.5cm)	Mosaic Hexa Slim (28.1x34.1cm)
Thickness	8.5mm	8.5mm	8.5mm	10mm	10mm		
OS-100 White	○	○	○	○ ○	○ ○	○	○
OS-101 Grey	○	○	○	○ ○	○ ○	○	○
OS-102 Dark Grey	○	○	○	○ ○	○ ○	○	○
OS-103 Green	○	○		○	○	○	○
OS-104 Blue	○	○		○	○	○	○

○ Natural ○ Anti-Slip



OS-104 Blue 30 x 60cm / OS-101 Grey 60 x 60cm / OS-101 Grey 60 x 120cm / OS-101 Grey 30 x 30cm mosaic



OS-101 Grey 30 x 60cm / 30 x 30cm mosaic



OS-101 Grey 45 x 45cm / 30 x 60cm / 28.1x34.1cm Hexa mosaic



OS-100 White 30 x 60 cm / OS-101 Grey 45 x 45cm / OS-104 Blue 28.1x34.1cm Hexa mosaic



OS-104 Blue 30 x 60cm / OS-101 Grey 30 x 60cm



OS-101 Grey 30 x 60cm / 45 x 45cm



OS-102 Dark Grey 45 x 45cm



OS-103 Green 30 x 60cm



Akel's Room



OS-101 Grey 30 x 60cm / 45 x 45cm











OS-100 White 30 x 60cm



OS-104 Blue 45 x 45cm

TECHNICAL FEATURES

		Norm Standards	Test Results
	Product Classification	UNI EN 14411	Annexe G Group B1a GL
	Dimensional and surface quality	UNI EN ISO 10545-2	Complies with Standards
	Water absorption	UNE-EN-ISO 10545-3	<= 0.1%
	Modulus of Rupture	UNI EN ISO 10545-4	>= 35 N/mm ²
	Chemical Resistance	UNI EN ISO 10545-13	Household detergents A Additives for Pools A Acids LA (2α) Bases LA (2α)
	Frost Resistance	UNI EN ISO 10545-12	Resistant
	Stain resistance	UNI EN ISO 10545-14	Class 4 or 5
	Slip Resistance	DIN51130 DIN51097 PTV Pendulum Test Value (Wet)	Natural R10 / Anti Slip R11 Anti Slip B Anti Slip +36

Waxman Ceramics Architectural Tiles

Head Office **01422 377123**

Grove Mills
Elland
West Yorkshire
HX5 9DZ
England

Email info@waxmanarchitectural.co.uk
Web www.waxmanarchitectural.co.uk

Waxman Ceramics Architectural Tiles is a division of Waxman Ceramics Ltd - Part of the Waxman Group

The information contained within this document is, to the best of our knowledge, accurate at the time of production. We reserve the right to modify this document at any time. Whilst every attempt has been made to accurately reproduce colours and textures, images used within this document are only intended as a guide. Please refer to actual product samples before specifying or ordering.