



**Waxman Ceramics**  
Architectural Tiles



PG

**series**

**PRAGUE**

Porcelain Stoneware  
UNI EN14411  
Annexe G Group B1a



## COLOURS



PG-100 Grey



PG-101 Sand



PG-102 Snow



35.5x29.2cm




29.2x2.9cm



29.2x59.2cm  
Rectified




59.2x59.2cm  
Rectified



45x90cm  
Rectified



90x90cm  
Rectified



60x120cm  
Rectified

Thickness

9mm

Thickness

10.1mm



PR-100 Grey 90 x 90cm



PR-101 Sand 90 x 90cm

# PG Series

Porcelain Stoneware

# PRAGUE

## FINISHES

---



————— Grip

Slip Resistance		
		+36
		

————— Smooth

## TECHNICAL FEATURES

		Norm Standards	Test Results
	Product Classification	UNI EN 14411	Annexe G Group B1a
	Dimensional and surface quality	UNI EN ISO 10545-2	Complies with Standards
	Water absorption	UNE-EN-ISO 10545-3	< 0,5%
	Modulus of Rupture	UNI EN ISO 10545-4	≥ 1300 N
	Chemical Resistance	UNI EN ISO 10545-13	Resistance to household chemicals Complies with standards Resistance to swimming pool salts Complies with standards Low concentration of acids and alkalis Complies with standards High concentration of acids and alkalis Complies with standards Resistance to stains Complies with standards
	Stain resistance	UNI EN ISO 10545-14	Class 3

# Waxman Ceramics Architectural Tiles

---

**Head Office**

**01422 377123**

Grove Mills  
Elland  
West Yorkshire  
HX5 9DZ  
England

Email [info@waxmanarchitectural.co.uk](mailto:info@waxmanarchitectural.co.uk)

Web [www.waxmanarchitectural.co.uk](http://www.waxmanarchitectural.co.uk)

**Waxman Ceramics Architectural Tiles is a division of Waxman Ceramics Ltd - Part of the Waxman Group**

The information contained within this document is, to the best of our knowledge, accurate at the time of production. We reserve the right to modify this document at any time. Whilst every attempt has been made to accurately reproduce colours and textures, images used within this document are only intended as a guide. Please refer to actual product samples before specifying or ordering.