



Waxman Ceramics
Architectural Tiles



QN **series** **QUAINT**

Glazed Porcelain
EN14411 Annexe G Group Bla GL

EPD 



COLOURS



QN-300
White Matt

④



QN-301
Grey Matt

③



QN-302
Taupe Matt

③



QN-303
Sand Matt

③



QN-304
Sage Matt

③



QN-305
Moss Matt

②



QN-306
Mustard Matt

②



QN-307
Rosso Matt

②



QN-308
Black Matt

②



5x15cm


Thickness



8.5mm

Slip Resistance		
	R10	+36

Glazed Ceramic Edge Trim



0.8cm x 15cm

COLOURS



QN-310
White Gloss

④



QN-311
Grey Gloss

③



QN-312
Taupe Gloss

③



QN-313
Sand Gloss

③



QN-314
Sage Gloss

③



QN-315
Moss Gloss

②



QN-316
Mustard Gloss

②



QN-317
Rosso Gloss

②



QN-318
Black Gloss

②




5x15cm

Thickness



8.5mm

Glazed Ceramic Edge Trim



0.8cm x 15cm



QN-316 Mustard Gloss / QN-318 Black Gloss - 5cm x 15cm



QN-317 Rosso Gloss / QN-313 Sand Gloss - 5cm x 15cm



QN-315 Moss Matt / QN-305 Moss Gloss - 5cm x 15cm



QN-306 Mustard Matt / QN-308 Black Matt / QN-302 Taupe Matt / QN-300 White Matt / QN-310 White Gloss - 5cm x 15cm



QN-303 Sand Matt / QN-313 Sand Gloss - 5cm x 15cm



QN-308 Black Matt - 5cm x 15cm












QN-315 Moss Gloss / QN-300 White Matt / QN-311 Grey Gloss / QN-312 Taupe Gloss - 5cm x 15cm



QN-310 White Gloss - 5cm x 15cm

TECHNICAL FEATURES

		Norm Standards	Test Results
	Product Classification	UNI EN 14411	EN14411 Annexe G Group Bla GL
	Dimensional and surface quality	UNI EN ISO 10545-2	Very low tolerance
	Water absorption	UNE-EN-ISO 10545-3	< 0,5%
	Flexural strength	UNI EN ISO 10545-4	>35 N/mm2
	Frost resistance	UNI EN ISO 10545-12	Resistant
	Resistance to acids and alkalis (except hydrofluoric acid)	UNI EN ISO 10545-13	Household Product Resistance Chemical Resistance GA GHA
	Wear and abrasion resistance	UNI EN ISO 10545-7	White PEI 4 Taupe PEI 4 Sage PEI 4 Mustard PEI 4 Grey PEI 2 Moss PEI 2 Rosso PEI 2 Sand PEI 2 Black PEI 2
	Slip resistance	DIN 51130 PTV	Matt R10 Matt +36
	Stain resistance	UNI EN ISO 10545-14	>= Classe 5

Waxman Ceramics Architectural Tiles

Head Office **01422 377123**

Grove Mills
Elland
West Yorkshire
HX5 9DZ
England

Email info@waxmanarchitectural.co.uk
Web www.waxmanarchitectural.co.uk

Waxman Ceramics Architectural Tiles is a division of Waxman Ceramics Ltd - Part of the Waxman Group

The information contained within this document is, to the best of our knowledge, accurate at the time of production. We reserve the right to modify this document at any time. Whilst every attempt has been made to accurately reproduce colours and textures, images used within this document are only intended as a guide. Please refer to actual product samples before specifying or ordering.