

ARCHITECTURAL COLLECTION

ASPEN

Porcelain Stoneware
EN14411 Annexe G - BI a



WAXMAN CERAMICS
— Architectural Tiles —



AN-490
Beige



AN-491
Graphite



AN-492
Grey



AN-493
Light Grey



AN-494
Brown



AN-495
Warm Beige



AN-496
White



AN-497
Mocca

Slip Resistance		
	R10	+36
		







		Norm Standards	Test Results
	Product Classification	UNI EN 14411	Porcelain Stoneware EN14411 Annexe G Group Bla
	Dimensional and surface quality	UNI EN ISO 10545-2	Complies
	Water absorption	UNE-EN-ISO 10545-3	$\leq 0,2\%$
	Flexural strength	UNI EN ISO 10545-4	$> 35\text{N/mm}^2$
	Frost resistance	UNI EN ISO 10545-12	Resistant
	Resistance to acids and alkalis (except hydrofluoric acid)	UNI EN ISO 10545-13	Complies
	Wear and abrasion resistance	UNI EN ISO 10545-6	Not Apply
	Thermal shock resistance	UNI EN ISO 10545-9	Not Apply
	Slip resistance	UNE 41901:2017 EX DIN 16165 (Annex B NA)	R10 B
	Colour resistance to sunlight exposure	DIN 51094	No change of colours
	Stain resistance	UNI EN ISO 10545-14	Clase 5

Material	Size	Thickness	Internal Walls	External Walls	Internal Floors	External Floors	Frostproof	Colour Variation	Packing				
									Pcs / Ctn	M ² / Ctn	Kg / Ctn	Ctns / Pallet	M ² / Pallet
Porcelain	29.8x59.8cm	8mm	.	.	.		.	V2	7	1	23	48	60



 01422 377123

 www.waxmanarchitectural.co.uk

 info@waxmanceramics.co.uk

 **Waxman Ceramics**
Grove Mills
Elland
West Yorkshire
HX5 9DZ

The information contained within this document is, to the best of our knowledge, accurate at the time of production.

We reserve the right to modify this document at any time.

Whilst every attempt has been made to accurately reproduce colours and textures, images used within this document are only intended as a guide.

Please refer to actual product samples before specifying or ordering.