

ARCHITECTURAL COLLECTION

JASPER

Porcelain Stoneware

EN14411 Annexe G - BI a

JS Series


EPD 



WAXMAN CERAMICS
— Architectural Tiles —



JS-744
Beige




JS-745
Bianco



JS-746
Caramel




JS-747
Mattone



JS-748
Tabacco




JS-749
Tortora



120x278cm



6mm



60x120cm



9mm




20mm



90x90cm



9mm



60x60cm



9mm



20mm



30x60cm



9mm



20x20cm



9mm



8.2x25cm



9mm

Natural		
Slip Resistance		
	R10	

Grip		
Slip Resistance		
	R11	+36

Available Finishes

Natural : JS-74/N


Grip : JS-74*/G

TILE COLOURS


Porcelain Stoneware

JASPER

Cannete Décor - 60x120cm



JS-744/C
Beige




JS-745/C
Bianco




JS-746/C
Caramel



JS-747/C
Mattone



JS-748/C
Tabacco



JS-749/C
Tortora


TILE COLOURS

Porcelain Stoneware


JASPER

Circle Décor


20x20cm




JS-752/CD
Beige & Caramel



JS-753/CD
Beige & Tabacco



JS-754/CD
Bianco & Mattone



JS-755/CD
Bianco & Tortora

Triangle Décor

20x20cm



JS-752/TD
Beige & Caramel



JS-753/TD
Beige & Tabacco




JS-754/TD
Bianco & Mattone



JS-755/TD
Bianco & Tortora

Dek Mix Décor

20x20cm



JS-750/M
Dek Mix





Jasper - Beige



Jasper - Caramel





Jasper - Dek Mix
Jasper - Bianco



Jasper - Tortora Cannete Décor



Jasper - Dek Mix

		Norm Standards	Test Results
	Product Classification	UNI EN 14411	Porcelain Stoneware EN14411 Annexe G Group Bla
	Dimensional and surface quality	UNI EN ISO 10545-2	Complies
	Water absorption	UNE-EN-ISO 10545-3	<0.1%
	Flexural strength	UNI EN ISO 10545-4	45N/mm2
	Frost resistance	UNI EN ISO 10545-12	Resistant
	Resistance to acids and alkalis (except hydrofluoric acid)	UNI EN ISO 10545-13	A
	Wear and abrasion resistance	UNI EN ISO 10545-6	<150mm2
	Thermal shock resistance	UNI EN ISO 10545-9	Not Apply
	Slip resistance	UNE 41901:2017 EX DIN 51130 DIN 51097 BS7976 (PTV) WET ANSI A326.3	Natural R10 Grip R11 PTV 36+
	Colour resistance to sunlight exposure	DIN 51094	No change of colours
	Stain resistance	UNI EN ISO 10545-14	4 - 5

PACKAGING

Porcelain Stoneware

JASPER

Size	Thickness	Internal Walls	External Walls	Internal Floors	External Floors	Frostproof	Colour Variation	Packing				
								Pcs / Ctn	M² / Ctn	Kg / Ctn	Ctns / Pallet	M² / Pallet
8.2x25cm	9mm	•	•	•		Yes	V2	28	0.57	21	78	44
20x20cm	9mm	•	•	•		Yes	V2	2	1.44	21	36	52
30x60cm	9mm	•	•	•		Yes	V2	6	1.08	21	48	52
60x60cm	9mm	•	•	•		Yes	V2	4	1.44	21	30	43
60x120cm	9mm	•	•	•		Yes	V2	2	1.44	21	36	52
90x90cm	9mm	•	•	•		Yes	V2	2	1.44	21	36	52
120x120cm	9mm	•	•	•		Yes	V2	1	1.44	21	30	43
120x278cm	6mm	•	•	•		Yes	V2	1	3.34	15	20	67
60x60cm	20mm	•	•	•		Yes	V2	6	1.44	21	45	65
60x120cm	20mm	•	•	•		Yes	V2	1	0.96	46	32	31
Dek Mix (20x20cm)	9mm	•	•			Yes	V2	2	1	21	36	52
Cannete Décor (60x120cm)	9mm	•	•			Yes	V2	2	1	21	36	52
Mattoncino (8.2x25cm)	9mm	•	•			Yes	V2	28	1	21	78	44
Circle Décor (20x20cm)	9mm	•	•			Yes	V2	2	1	21	36	52
Triangle Décor (20x20cm)	9mm	•	•			Yes	V2	2	1	21	36	52



 01422 377123

 www.waxmanarchitectural.co.uk

 info@waxmanceramics.co.uk

 **Waxman Ceramics**
Grove Mills
Elland
West Yorkshire
HX5 9DZ

The information contained within this document is, to the best of our knowledge, accurate at the time of production.

We reserve the right to modify this document at any time.

Whilst every attempt has been made to accurately reproduce colours and textures, images used within this document are only intended as a guide.

Please refer to actual product samples before specifying or ordering.