

ARCHITECTURAL COLLECTION

LB Series

LISBON

Glazed Ceramic

EN14411 Annexe L - BIII



TILE COLOURS

Glazed Ceramic

LISBON

5.6x26.7cm




LB-355
Warm White



LB-356
Oyster




LB-357
Grief



LB-358
Grey




LB-359
Jade



LB-360
Cobalt



LB-361
Terracotta



LB-362
Lava

TILE LAYOUTS

Glazed Ceramic

LISBON

5.6x26.7cm



LB-355
Warm White




LB-356
Oyster




LB-357
Griefe



LB-358
Grey



LB-359
Jade



LB-360
Cobalt



LB-361
Terracotta



LB-362
Lava











Lisbon - White



		Norm Standards	Test Results
	Product Classification	UNI EN 14411	Porcelain Stoneware EN14411 Annexe L Group BIII
	Dimensional and surface quality	UNI EN ISO 10545-2	Complies
	Water absorption	UNE-EN-ISO 10545-3	17%
	Flexural strength	UNI EN ISO 10545-4	$\geq 12\text{N/mm}^2$
	Frost resistance	UNI EN ISO 10545-12	Resistant
	Resistance to acids and alkalis (except hydrofluoric acid)	UNI EN ISO 10545-13	A
	Wear and abrasion resistance	UNI EN ISO 10545-6	Not apply
	Thermal shock resistance	UNI EN ISO 10545-9	Not Apply
	Colour resistance to sunlight exposure	DIN 51094	No change of colours
	Stain resistance	UNI EN ISO 10545-14	5

Material	Size	Thickness	Internal walls	External walls	Internal floors	External floors	Frostproof	Colour Variation	Packing				
									Pcs / ctn	M2 / Ctn	Kg / Ctn	Ctns / Pallet	M2 / Pallet
Glazed Ceramic	5.6x26.7cm	7.7mm	•				No	V4	48	0.78	9.15	96	74.88



 01422 377123

 www.waxmanarchitectural.co.uk

 info@waxmanceramics.co.uk

 **Waxman Ceramics**
Grove Mills
Elland
West Yorkshire
HX5 9DZ

The information contained within this document is, to the best of our knowledge, accurate at the time of production.

We reserve the right to modify this document at any time.

Whilst every attempt has been made to accurately reproduce colours and textures, images used within this document are only intended as a guide.

Please refer to actual product samples before specifying or ordering.