

ARCHITECTURAL COLLECTION

NO^{Series}

NARAO

Glazed Ceramic

EN14411 Annexe L - BIII



WAXMAN CERAMICS


Architectural Tiles

TILE COLOURS


Glazed Ceramic

NARAO

Matt - 7.5 x 30cm




NO-180.M
Bianco




NO-181.M
Rosa




NO-182.M
Salvia




NO-183.M
Blu




NO-184.M
Nero




NO-185.M
Porpora




NO-186.M
Grigio




NO-187.M
Carta



NO-188.M
Smeraldo



NO-189.M
Terra



NO-190.M
Oro

TILE COLOURS

Glazed Ceramic

NARAO

Alta Décor (Matt) - 7.5x30cm




NO-180.ADM
Bianco




NO-181.ADM
Rosa



NO-182.ADM
Salvia



NO-183.ADM
Blu



NO-184.ADM
Nero



NO-185.ADM
Porpora



NO-186.ADM
Grigio



NO-187.ADM
Carta



NO-188.ADM
Smeraldo



NO-189.ADM
Terra



NO-190.ADM
Oro

TILE COLOURS

Glazed Ceramic

NARAO


Bassa Décor (Lucido) - 7.5x30cm



NO-180.BDL
Bianco



NO-181.BDL
Rosa



NO-182.BDL
Salvia



NO-183.BDL
Blu



NO-184.BDL
Nero



NO-185.BDL
Porpora



NO-186.BDL
Grigio




NO-187.BDL
Carta



NO-188.BDL
Smeraldo



NO-189.BDL
Terra



NO-190.BDL
Oro



Narao Alta - Bianco and Nero
Narao Bassa - Bianco



Narao - Blu
Narao Alta - Blu
Narao Alta - Porpora



Narao Alta - Grigio
Narao - Smeraldo
Narao Bassa - Smeraldo

		Norm Standards	Test Results
	Product Classification	UNI EN 14411	Porcelain Stoneware EN14411 Annexe L Group BIII
	Dimensional and surface quality	UNI EN ISO 10545-2	0.5-10%
	Water absorption	UNE-EN-ISO 10545-3	> 10%
	Flexural strength	UNI EN ISO 10545-4	> 600 N > 12N/mm2
	Frost resistance	UNI EN ISO 10545-12	Not Apply
	Resistance to acids and alkalis (except hydrofluoric acid)	UNI EN ISO 10545-13	Complies
	Wear and abrasion resistance	UNI EN ISO 10545-6	Not Apply
	Thermal shock resistance	UNI EN ISO 10545-9	Resistant
	Colour resistance to sunlight exposure	DIN 51094	Not Apply
	Stain resistance	UNI EN ISO 10545-14	Clase 5

Material	Size	Thickness	Internal Walls	External Walls	Internal Floors	External Floors	Frostproof	Colour Variation	Packing				
									Pcs / Ctn	M² / Ctn	Kg / Ctn	Ctns / Pallet	M² / Pallet
Ceramic	7.5x30cm	8mm	•				No	V1	24	0.54	7.9	96	51.84
Ceramic	7.5x30cm (Alta)	13mm	•				No	V1	20	0.45	8.05	96	43.2
Ceramic	7.5x30cm (Bassa)	13mm	•				No	V1	22	0.5	8	96	48



 01422 377123

 www.waxmanarchitectural.co.uk

 info@waxmanceramics.co.uk

 **Waxman Ceramics**
Grove Mills
Elland
West Yorkshire
HX5 9DZ

The information contained within this document is, to the best of our knowledge, accurate at the time of production.

We reserve the right to modify this document at any time.

Whilst every attempt has been made to accurately reproduce colours and textures, images used within this document are only intended as a guide.

Please refer to actual product samples before specifying or ordering.