

ARCHITECTURAL COLLECTION

RE^{Series}

REGENT

Glazed Porcelain

EN14411 Annexe G - BI a

EPD 



WAXMAN CERAMICS

Architectural Tiles

TILE COLOURS

Glazed Porcelain

REGENT

3.7x11.6cm




RE-540
White



RE-541
Bone



RE-542
Black



RE-543
Silver




RE-544
Golden

LC Bars - 116x11.6cm



RE-545
Silver LC Bars




RE-546
Golden LC Bars



Regent Black
Regent Golden
Regent Golden LC Bars



Regent White
Regent Black



Regent Black
Regent Silver



Regent Bone
Regent Golden

		Norm Standards	Test Results
	Product Classification	UNI EN 14411	Porcelain Stoneware EN14411 Annexe G Group BI a
	Dimensional and surface quality	UNI EN ISO 10545-2	>95%
	Water absorption	UNE-EN-ISO 10545-3	< 0.5%
	Flexural strength	UNI EN ISO 10545-4	Minimum 35N/mm2
	Frost resistance	UNI EN ISO 10545-12	Pass
	Resistance to acids and alkalis (except hydrofluoric acid)	UNI EN ISO 10545-13	Complies
	Wear and abrasion resistance	UNI EN ISO 10545-6	Not Apply
	Thermal shock resistance	UNI EN ISO 10545-9	Not Apply
	Slip resistance	UNE 41901:2017 EX DIN 51130 DIN 51097 BS7976 (PTV) WET	R9 *Excluding Silver & Golden
	Colour resistance to sunlight exposure	DIN 51094	Not Apply
	Stain resistance	UNI EN ISO 10545-14	Clase 5

Material	Size	Thickness	Internal Walls	External Walls	Internal Floors	External Floors	Frostproof	Colour Variation	Packing				
									Pcs / Ctn	M² / Ctn	Kg / Ctn	Ctns / Pallet	M² / Pallet
Porcelain	3.7x11.6cm	8.5mm	•	•			Yes	V1	114	0.49	9.66	102	49.88
Porcelain	11.6x11.6cm (LC Bars)	8.5mm	•	•			Yes	V1	30	0.4	8.1	95	38



 01422 377123

 www.waxmanarchitectural.co.uk

 info@waxmanceramics.co.uk

 **Waxman Ceramics**
Grove Mills
Elland
West Yorkshire
HX5 9DZ

The information contained within this document is, to the best of our knowledge, accurate at the time of production.

We reserve the right to modify this document at any time.

Whilst every attempt has been made to accurately reproduce colours and textures, images used within this document are only intended as a guide.

Please refer to actual product samples before specifying or ordering.