

ARCHITECTURAL COLLECTION

SA^{series}

SAFI

Glazed Ceramic

EN14411 Annexe L - BIII



WAXMAN CERAMICS
— Architectural Tiles —

TILE COLOURS


Glazed Ceramic

13x13cm

SAFI



SA-660
Mellow



SA-661
Chipper



SA-662
Bold



SA-663
Chipper Shapes



SA-664
Bold Shapes



SA-665
Chipper Split



SA-666
Bold Split



SA-667
Mellow Metallic



SA-668
Chipper Metallic



SA-669
Bold Metallic

VARIATIONS

Glazed Ceramic

13x13cm

SAFI



SA-660
Mellow




SA-661
Chipper



SA-662
Bold



SA-663
Chipper Shapes



SA-664
Bold Shapes



Safi Bold
Safi Mellow



Safi Mellow
Safi Chipper Shapes

		Norm Standards	Test Results
	Product Classification	UNI EN 14411	Porcelain Stoneware EN14411 Annexe L Group BIII
	Dimensional and surface quality	UNI EN ISO 10545-2	>95%
	Water absorption	UNE-EN-ISO 10545-3	>10%
	Flexural strength	UNI EN ISO 10545-4	> 15Nw/mm > 600N
	Frost resistance	UNI EN ISO 10545-12	Not Apply
	Resistance to acids and alkalis (except hydrofluoric acid)	UNI EN ISO 10545-13	Complies
	Wear and abrasion resistance	UNI EN ISO 10545-6	Not Apply
	Thermal shock resistance	UNI EN ISO 10545-9	Complies
	Colour resistance to sunlight exposure	DIN 51094	Not Apply
	Stain resistance	UNI EN ISO 10545-14	Clase 4

Size	Thickness	Internal Walls	External Walls	Internal Floors	External Floors	Frostproof	Colour Variation	Packing				
								Pcs / Ctn	M² / Ctn	Kg / Ctn	Ctns / Pallet	M² / Pallet
13x13cm	10mm	•				No		30	0.51	9.26	120	60.84
13x13cm (Pictus)	10mm	•				No		30	0.51	9.26	120	60.84
13x13cm (Endo)	10mm	•				No		30	0.51	9.26	120	60.84
13x13cm (Aureum)	10mm	•				No		30	0.51	9.26	120	60.84



 01422 377123

 www.waxmanarchitectural.co.uk

 info@waxmanceramics.co.uk

 **Waxman Ceramics**
Grove Mills
Elland
West Yorkshire
HX5 9DZ

The information contained within this document is, to the best of our knowledge, accurate at the time of production.

We reserve the right to modify this document at any time.

Whilst every attempt has been made to accurately reproduce colours and textures, images used within this document are only intended as a guide.

Please refer to actual product samples before specifying or ordering.