

ARCHITECTURAL COLLECTION

TEGUISE

Porcelain Stoneware

EN14411 Annexe G - BI a



WAXMAN CERAMICS

Architectural Tiles



Ocre




Cotto



Ocre Layout



Cotto Layout



Slip Resistance		
	R10	+36

TILE COLOURS - DÉCOR

Porcelain Stoneware

TEGUISE




Ocre Décor



Cotto Décor



Ocre Décor Layout



Cotto Décor Layout



15x30cm



8.5mm









Tegise - Ocre

		Norm Standards	Test Results
	Product Classification	UNI EN 14411	Porcelain Stoneware EN14411 Annexe G Group Bla
	Dimensional and surface quality	UNI EN ISO 10545-2	Complies
	Water absorption	UNE-EN-ISO 10545-3	$\leq 0.5\%$
	Flexural strength	UNI EN ISO 10545-4	$> 1300 \text{ N}$
	Frost resistance	UNI EN ISO 10545-12	Resistant
	Resistance to acids and alkalis (except hydrofluoric acid)	UNI EN ISO 10545-13	GLA GA
	Wear and abrasion resistance	UNI EN ISO 10545-6	Not Apply
	Thermal shock resistance	UNI EN ISO 10545-9	Not Apply
	Slip resistance	UNE 41901:2017 EX DIN 51130 DIN 51097 BS7976 (PTV) WET ANSI A326.3	R10 PTV 36+
	Colour resistance to sunlight exposure	DIN 51094	No change of colours
	Stain resistance	UNI EN ISO 10545-14	Class 5

Size	Thickness	Internal Walls	External Walls	Internal Floors	External Floors	Frostproof	Colour Variation	Packing				
								Pcs / Ctn	M² / Ctn	Kg / Ctn	Ctns / Pallet	M² / Pallet
7.5x30cm	8.5mm	.	.	.	.	Yes	V2	22	0.5	9.71	160	80
15x15cm	8.5mm	.	.	.	.	Yes	V2	22	0.5	9.71	160	80
15x30cm	8.5mm	.	.	.	.	Yes	V2	22	0.5	9.71	160	80
15x30cm (Décor)	8.5mm	.	.			Yes	V2	11	0.5	9.71	160	80



 01422 377123

 www.waxmanarchitectural.co.uk

 info@waxmanceramics.co.uk

 **Waxman Ceramics**
Grove Mills
Elland
West Yorkshire
HX5 9DZ

The information contained within this document is, to the best of our knowledge, accurate at the time of production.

We reserve the right to modify this document at any time.

Whilst every attempt has been made to accurately reproduce colours and textures, images used within this document are only intended as a guide.

Please refer to actual product samples before specifying or ordering.