

ARCHITECTURAL COLLECTION

RO Series

# ROCCO

Glazed Porcelain Stoneware & Glazed Ceramic

EN14411 Annexe G - BI a

EN14411 Annexe L - BIII

EPD 



# TILE COLOURS

Glazed Cermaic


# ROCCO




RO-240  
Light



RO-241  
Ivory



RO-242  
Beige




RO-243  
Pearl



RO-244  
Grey




RO-245  
Dark




120x280cm



60x120cm



120x120cm



90x90cm



60x60cm



30x60cm



15x60cm

Porcelain Only

Slip Resistance	
	R10

### Available Finishes

OUT: RO-24\*.O

MAX: RO-24\*.M

EXTREM: RO-24\*.E

\*Some colours and finishes only available in select sizes, see Size and Packaging for details

# TILE COLOURS

Glazed Cermaic

# ROCCO

## 30x90cm



RO-240.C  
Light




RO-240.F  
Light Filo Décor



RO-241.C  
Ivory



RO-241.F  
Ivory Filo Décor



RO-243.C  
Pearl



RO-243.F  
Pearl Filo Décor
















Rocco Light  
Rocco Dark




Rocco Light - Filo Decor

		Norm Standards	Test Results
	<b>Product Classification</b>	<b>UNI EN 14411</b>	<b>Porcelain Stoneware EN14411 Annexe G Group Bla</b>
	<b>Dimensional and surface quality</b>	<b>UNI EN ISO 10545-2</b>	<b>Complies</b>
	<b>Water absorption</b>	<b>UNE-EN-ISO 10545-3</b>	<b>&lt;=0.5%</b>
	<b>Flexural strength</b>	<b>UNI EN ISO 10545-4</b>	<b>&gt;=35N/mm2</b>
	<b>Frost resistance</b>	<b>UNI EN ISO 10545-12</b>	<b>Complies</b>
	<b>Resistance to acids and alkalis (except hydrofluoric acid)</b>	<b>UNI EN ISO 10545-13</b>	<b>Complies</b>
	<b>Wear and abrasion resistance</b>	<b>UNI EN ISO 10545-6</b>	<b>Not Apply</b>
	<b>Thermal shock resistance</b>	<b>UNI EN ISO 10545-9</b>	<b>Complies</b>
	<b>Slip resistance</b>	<b>UNE 41901:2017 EX DIN 51130 DIN 51097 BS7976 (PTV) WET ANSI A326.3</b>	<b>R10</b>
	<b>Colour resistance to sunlight exposure</b>	<b>DIN 51094</b>	<b>No change of colours</b>
	<b>Stain resistance</b>	<b>UNI EN ISO 10545-14</b>	<b>Complies</b>

# SIZE & PACKAGING











Glazed Porcelain Stoneware & Glazed Ceramic

# ROCCO



● Matt ● OUT ● MAX (14mm) ● EXTREM (20mm)

Material	Size	Thickness	Internal Walls	External Walls	Internal Floors	External Floors	Frostproof	Colour Variation	Packing				
									Pcs / Ctn	M <sup>2</sup> / Ctn	Kg / Ctn	Ctns / Pallet	M <sup>2</sup> / Pallet
Porcelain	15x60cm	9mm	•	•			Yes	V2	4	0.36	7.94	70	25
Porcelain	30x60cm	9mm	•	•	•		Yes	V2	8	1.44	27	40	58
Ceramic	30x90cm	7mm	•					V2	6	1.62	19.5	63	102
Ceramic	30x90cm Filo Décor	8.7mm	•					V2	5	1.35	19	63	85
Porcelain	60x60cm	9mm	•	•	•		Yes	V2	4	1.44	27	32	46
Porcelain	60x60cm OUT	9mm	•	•	•		Yes	V2	2	1.44	28	36	52
Porcelain	60x120cm	9mm	•	•	•		Yes	V2	2	1.44	48.67	24	35
Porcelain	60x120cm OUT	14mm	•	•	•		Yes	V2	2	1.62	32.5	30	49
Porcelain	60x120cm MAX	14mm	•	•	•		Yes	V2	1	0.81	37	27	22
Porcelain	90x90cm	9mm	•	•	•		Yes	V2	1	1.44	30.13	40	58
Porcelain	90x90cm EXTREM	20mm	•	•	•		Yes	V2	1	3.36	47.21	20	67
Porcelain	120x120cm	9mm	•	•	•		Yes	V2	1	1.44	30.13	40	58
Porcelain	120x280cm	6mm	•	•	•		Yes	V2	1	3.36	47.21	20	67

		Norm Standards	Test Results
	<b>Product Classification</b>	UNI EN 14411	Porcelain Stoneware EN14411 Annexe GL Group BIII
	<b>Dimensional and surface quality</b>	UNI EN ISO 10545-2	Complies
	<b>Water absorption</b>	UNE-EN-ISO 10545-3	>10%
	<b>Flexural strength</b>	UNI EN ISO 10545-4	>45N/mm <sup>2</sup>
	<b>Frost resistance</b>	UNI EN ISO 10545-12	Not Apply
	<b>Resistance to acids and alkalis (except hydrofluoric acid)</b>	UNI EN ISO 10545-13	Complies
	<b>Wear and abrasion resistance</b>	UNI EN ISO 10545-6	Not Apply
	<b>Thermal shock resistance</b>	UNI EN ISO 10545-9	Complies
	<b>Colour resistance to sunlight exposure</b>	DIN 51094	No change of colours
	<b>Stain resistance</b>	UNI EN ISO 10545-14	Complies

 **WAXMAN CERAMICS**  
— Architectural Tiles —

 **01422 377123**

 **[www.waxmanarchitectural.co.uk](http://www.waxmanarchitectural.co.uk)**

 **[info@waxmanceramics.co.uk](mailto:info@waxmanceramics.co.uk)**

 **Waxman Ceramics**  
**Grove Mills**  
**Elland**  
**West Yorkshire**  
**HX5 9DZ**

The information contained within this document is, to the best of our knowledge, accurate at the time of production.

We reserve the right to modify this document at any time.

Whilst every attempt has been made to accurately reproduce colours and textures, images used within this document are only intended as a guide.

Please refer to actual product samples before specifying or ordering.