

ARCHITECTURAL COLLECTION

VT Series

VENETO

Porcelain Stoneware

EN14411 Annexe G - BI a


EPD 




TILE COLOURS

Porcelain Stoneware


VENETO




VT-900
Barbaro



VT-901
Badoer




VT-902
Foscari




VT-903
Pisani



VT-904
Trissino




VT-905
Valmarana




120x278cm

6.5mm



120x120cm

9mm



60x120cm

9mm



60x60cm

9mm



30x60cm

9mm



20x20cm

9mm

20mm

Natural		
Slip Resistance		
	R10	+36

Grip		
Slip Resistance		
	R11	

Available Finishes

Natural - VT-90*.N

Lucida - VT-90*.L

Grip - VT-90*.G

*Please see Technical for available colours/sizes in each finish
















Veneto Foscari




Veneto Barbaro

		Norm Standards	Test Results
	Product Classification	UNI EN 14411	Porcelain Stoneware EN14411 Annexe G Group Bla
	Dimensional and surface quality	UNI EN ISO 10545-2	Very Low Tolerance
	Water absorption	UNE-EN-ISO 10545-3	<=0.1%
	Flexural strength	UNI EN ISO 10545-4	45 N/mm2
	Frost resistance	UNI EN ISO 10545-12	Resistant
	Resistance to acids and alkalis (except hydrofluoric acid)	UNI EN ISO 10545-13	Not Apply
	Wear and abrasion resistance	UNI EN ISO 10545-6	<= 150mm3
	Thermal shock resistance	UNI EN ISO 10545-9	Not Apply
	Slip resistance	UNE 41901:2017 EX DIN 51130 DIN 51097 BS7976 (PTV) WET ANSI A326.3	Natural: R10 / PTV Shod +36 Grip: R11
	Colour resistance to sunlight exposure	DIN 51094	No change of colours
	Stain resistance	UNI EN ISO 10545-14	Class 4 - 5

TECHNICAL & PACKAGING

Porcelain Stoneware

Veneto



SIZE	120x278cm	120x120cm	60x120cm	60x60cm	30x60cm	20x20cm	60x60cm
THICKNESS	6.5mm	9mm	9mm	9mm	9mm	9mm	20mm
Barbaro	●	● ●	● ●	●	●	●	
Badoer		● ●	● ●	●	●	●	
Foscari	●	● ●	● ●	●	●	●	
Pisani		● ●	● ●	●	●	●	●
Trissino	●	● ●	● ●	●	●	●	
Valmarana		● ●	● ●	●	●	●	●

● Natural R10 ● Grip ● Lucida


Size	Thickness	Internal Walls	External Walls	Internal Floors	External Floors	Frostproof	Colour Variation	Packing				
								Pcs / Ctn	M ² / Ctn	Kg / Ctn	Ctns / Pallet	M ² / Pallet
120x120cm	9mm	•	•	•		Yes	V3	2	2.88	60.48	18	51.84
60x120cm	9mm	•	•	•		Yes	V3	2	1.44	30.24	36	51.84
60x60cm	9mm	•	•	•		Yes	V3	4	1.44	21	30	43.2
30x60cm	9mm	•	•	•		Yes	V3	6	1.08	3.89	48	51.84
20x20cm	9mm	•	•	•		Yes	V3	28	1.12	23.52	51	57.12
120x278cm	6mm	•	•	•		Yes	V3	1	3.38	50.1	20	67.6
60x60cm	20mm			•	•	Yes	V3	2	0.72	33.12	32	23.04



 **01422 377123**

 **www.waxmanarchitectural.co.uk**

 **info@waxmanceramics.co.uk**

 **Waxman Ceramics**
Grove Mills
Elland
West Yorkshire
HX5 9DZ

The information contained within this document is, to the best of our knowledge, accurate at the time of production.
We reserve the right to modify this document at any time.
Whilst every attempt has been made to accurately reproduce colours and textures, images used within this document are only intended as a guide.
Please refer to actual product samples before specifying or ordering.