

ARCHITECTURAL COLLECTION

CZ Series

CADIZ

Glazed Ceramic Tiles

Annexe L - Bill

Annexe G - Bl a

EPD 



Waxman Ceramics
Architectural Tiles


TILE COLOURS

Glazed Ceramic
Annexe L - Bill


Matt & Gloss




Structure Matt (A) Grooves



Structure Matt (B) Grooves




Decor Matt



Decor Gloss



Each tile face décor is unique and not available in all colours
Sizes / colours vary per finish please see table below for details.



TILE COLOURS

Glazed Ceramic
Annexe G - Bl a

Matt Floor



White CZ-586 Blue CZ-595 Blush CZ-594 Green CZ-596 Light Grey CZ-591

Decor Matt (B) Lines




Blue CZ-595 Blush CZ-594 Green CZ-596 Light Grey CZ-591

Decor Matt (A) Lines



Blue CZ-595 Blush CZ-594 Green CZ-596 Light Grey CZ-591




Slip Resistance



Matt Floor, Decor (A) Lines & Decor Matt (B) Lines R9







White



Green



Beige

PACKING INFO

Glazed Ceramic

Wall Tiles







Colour	White	Beige	Terracotta	Dark Blue	Dark Green	Light Grey	Grey	Graphite	Blush	Blue	Green	Black
Matt - (/M)	•	•				•	•	•				•
Gloss - (/G)	••••	••••				••••	•	•	••	••	••	•
Decor Matt - (/DM)			•	•	•							
Decor Gloss - (/DG)	••	••				••			•	•	•	•
Structure A - (/SM-AG)	•	•	•	•	•							
Structure B - (/SM-BG)	•	•										





• - 9.8x9.8cm •• - 9.8cm x 19.8cm ••• - 19.8cm x 19.8cm •••• - 29.8cm x 89.8cm

Material	Size	Thickness	Internal walls	External walls	Internal floors	External floors	Frostproof	Colour Variation	Packing				
									Tiles / Pack	M ² / Ctn	Kg / Ctn	Ctns / Pallet	M ² / Pallet
Plain Tiles													
Glazed Ceramic	9.8x9.8cm	6.5mm	•					V1	132	1.27	14.61	49	62.23
Glazed Ceramic	9.8x19.8cm	6.5mm	•					V1	68	1.32	15.80	49	64.68
Glazed Ceramic	19.8.19.8cm	7mm	•	•	•		•	V1	28	1.10	18.66	46	50.60
Glazed Ceramic	19.8.19.8cm	6.5mm	•					V1	28	1.10	18.66	46	50.60
Glazed Ceramic	19.8x19.8cm	11.5mm	•		•			V1	34	1.33	15.30	49	65.17
Glazed Ceramic Structure A&B	19.8x19.8cm	11.5mm	•					V1	20	0.78	12.48	46	35.88
Glazed Ceramic Decor Lines	19.8x19.8cm	7.5mm	•		•		•	V1	28	1.10	18.66	46	50.60
Glazed Ceramic	29.8x89.8cm	9mm	•					V1	4	1.07	16.59	32	34.24

TECHNICAL

Glazed Ceramic

Annexe G BL a - Floor Tiles		Norm Standards	Test Results
	Product Classification	UNI EN 14411	Ceramic Tiles Annex G - BIa
	Dimensional and surface quality	UNI EN ISO 10545-2	Complies
	Water absorption	UNE-EN-ISO 10545-3	<0.5%
	Flexural strength	UNI EN ISO 10545-4	minimum 1300
	Frost resistance	UNI EN ISO 10545-12	Resistant
	Chemical Resistance a) Acids b) Alkalis c) Cleaning Products d) Resistance to chemical products in swimming pool water e) Stains Resistance	UNI EN ISO 10545-13	GLB GHB GB GB 1


Annexe L - BIII - Wall Tiles		Norm Standards	Test Results
	Product Classification	UNI EN 14411	Ceramic Tiles Annexe L - BIII
	Dimensional and surface quality	UNI EN ISO 10545-2	Complies
	Water absorption	UNE-EN-ISO 10545-3	>10%
	Chemical Resistance a) Acids b) Alkalis c) Cleaning Products d) Resistance to chemical products in swimming pool water e) Stains Resistance	UNI EN ISO 10545-13	GLB GHB GB GB 1

 **Waxman Ceramics**
Architectural Tiles

 **01422 377123**

 **www.waxmanarchitectural.co.uk**

 **info@waxmanceramics.co.uk**

 **Waxman Ceramics**
Grove Mills
Elland
West Yorkshire
HX5 9DZ

The information contained within this document is, to the best of our knowledge, accurate at the time of production.

We reserve the right to modify this document at any time.

Whilst every attempt has been made to accurately reproduce colours and textures, images used within this document are only intended as a guide.

Please refer to actual product samples before specifying or ordering.