



PIETRA DI LAVAGNA

Glazed Porcelain
UNI EN1441 Annexe G – Bla



COLOURS



Pietra Di Lavagna Perla
60x120cm



Pietra Di Lavagna Perla
60x60cm




Pietra Di Lavagna Sabbia
60x120cm



Pietra Di Lavagna Sabbia
60x60cm



Pietra Di Lavagna Argento
60x120cm



Pietra Di Lavagna Argento
60x60cm

Slip Resistance		
	R11	+36
	+40	



Pietra Di Lavagna Perla
60x60cm



Pietra Di Lavagna Sabbia
60x120cm



Pietra Di Lavagna Argento
60x120cm

SPECIFICATION & PACKING

Material	Size	Thickness	Internal Walls	External Walls	Internal Floors	External Floors	Frostproof	Colour Variation
Porcelain - Anti-Slip	60x60cm	9.5mm			Yes	Yes	Yes	V3
Porcelain - Anti-Slip	60x120cm	10.5mm			Yes	Yes	Yes	V3

Material	Size	Thickness	Packing					EN14411 (Annexe / Group)
			Pcs / Ctn	M ² / Ctn	Kg / Ctn	Ctns / Pallet	M ² / Pallet	
Porcelain - Anti-Slip	60x60cm	9.5mm	4	1.44	30	30	43	Annexe G - BI a
Porcelain - Anti-Slip	60x120cm	10.5mm	2	1.44	34.25	32	46	Annexe G - BI a

Waxman Ceramics

Head Office **01422 311331**
Grove Mills
Elland
West Yorkshire
HX5 9DZ
England

Email info@waxmanceramics.co.uk
Web www.waxmanceramics.co.uk

Waxman Ceramics Ltd - Part of the Waxman Group

The information contained within this document is, to the best of our knowledge, accurate at the time of production. We reserve the right to modify this document at any time. Whilst every attempt has been made to accurately reproduce colours and textures, images used within this document are only intended as a guide. Please refer to actual product samples before specifying or ordering.