

ARCHITECTURAL COLLECTION

NOVARA

NR Series

Porcelain Stoneware

EN14411 Annexe G - BI a

EPD



WAXMAN CERAMICS

Architectural Tiles

TILE COLOURS

Porcelain Stoneware


NOVARA



NR-604
Ash



NR-605
Shell




NR-606
Charcoal




NR-607
Shadow





NR-608
Eggshell



NR-609
Pavonazetto



120x278cm




120x120cm




60x120cm



60x60cm



30x60cm



10x60cm



Slip Resistance

| | | |
|--|----|--|
| | R9 | |
| | | |

Available Finishes

- Vein Touch : NR-60*/VT
- Smooth : NR-60*/S
- Honed : NR60*/H
- Lucida : NR-60*/L


TILE COLOURS - STOCKED

Porcelain Stoneware

NOVARA



Novara Venato
60x120cm



Novara Viola
60x120cm



Novara Pavonazetto
60x120cm



















...aki
[linea dew]
... hand care
... soap
certified organic
9.3 fl oz / 275 ml



Novara - Antique Vein Touch



| | | Norm Standards | Test Results |
|---|---|--|--|
|  | Product Classification | UNI EN 14411 | Porcelain Stoneware EN14411 Annexe G Group B1a |
|  | Dimensional and surface quality | UNI EN ISO 10545-2 | Very Low Tolerance |
|  | Water absorption | UNE-EN-ISO 10545-3 | <0.1% |
|  | Flexural strength | UNI EN ISO 10545-4 | 45N/mm ² |
|  | Frost resistance | UNI EN ISO 10545-12 | Resistant |
|  | Resistance to acids and alkalis (except hydrofluoric acid) | UNI EN ISO 10545-13 | A |
|  | Wear and abrasion resistance | UNI EN ISO 10545-6 | ≤150mm ² |
|  | Thermal shock resistance | UNI EN ISO 10545-9 | Not Apply |
|  | Slip resistance | UNE 41901:2017 EX DIN 51130 DIN 51097 BS7976 (PTV) WET ANSI A326.3 | Honed R9 |
|  | Colour resistance to sunlight exposure | DIN 51094 | No change of colours |
|  | Stain resistance | UNI EN ISO 10545-14 | Class 4-5 |

SIZE & PACKAGING

Porcelain Stoneware

TO ORDER ONLY

NOVARA



| | | | | | | | | |
|----------|---|-----------|-----------|-----------|-----------|-----------|-----------|-------------------|
| Ash | ● | ● ● ● ● ● | ● ● ● ● ● | ● ● ● ● ● | ● ● ● ● ● | ● ● ● ● ● | ● ● ● ● ● | ● ● ● ● ● +EM |
| Shell | ● | ● ● ● ● ● | ● ● ● ● ● | ● ● ● ● ● | ● ● ● ● ● | ● ● ● ● ● | ● ● ● ● ● | ● ● ● ● ● +BM +EM |
| Charcoal | ● | ● ● ● ● ● | ● ● ● ● ● | ● ● ● ● ● | ● ● ● ● ● | ● ● ● ● ● | ● ● ● ● ● | ● ● ● ● ● +BM +EM |
| Shadow | ● | ● ● ● ● ● | ● ● ● ● ● | ● ● ● ● ● | ● ● ● ● ● | ● ● ● ● ● | ● ● ● ● ● | ● ● ● ● ● +EM |
| Eggshell | ● | ● ● ● ● ● | ● ● ● ● ● | ● ● ● ● ● | ● ● ● ● ● | ● ● ● ● ● | ● ● ● ● ● | ● ● ● ● ● +EM |
| Antique | ● | ● ● ● ● ● | ● ● ● ● ● | ● ● ● ● ● | ● ● ● ● ● | ● ● ● ● ● | ● ● ● ● ● | ● ● ● ● ● +BM +EM |

● Vein Touch ● Smooth ● Honed ● Lucida +BM Bookmatch +EM Endmatch

| Size | Thickness | Internal Walls | External Walls | Internal Floors | External Floors | Frostproof | Colour Variation | Packing | | | | |
|-----------|-----------|----------------|----------------|-----------------|-----------------|------------|------------------|-----------|----------------------|----------|---------------|-------------------------|
| | | | | | | | | Pcs / Ctn | M ² / Ctn | Kg / Ctn | Ctns / Pallet | M ² / Pallet |
| 10x60cm | 9mm | • | • | • | | Yes | V2 | 18 | 1.08 | 21 | 48 | 51.84 |
| 30x60cm | 9mm | • | • | • | | Yes | V2 | 6 | 1.08 | 21 | 48 | 51.84 |
| 60x60cm | 9mm | • | • | • | | Yes | V2 | 3 | 1.08 | 21 | 40 | 43.2 |
| 60x120xm | 6mm | • | • | • | | Yes | V2 | 2 | 1.44 | 21 | 36 | 51.84 |
| 120x120cm | 6mm | • | • | • | | Yes | V2 | 2 | 2.88 | 15 | 24 | 69.12 |
| 120x278cm | 6mm | • | • | • | | Yes | V2 | 1 | 3.34 | 15 | 20 | 66.8 |



 01422 377123

 www.waxmanarchitectural.co.uk

 info@waxmanceramics.co.uk

 **Waxman Ceramics**
Grove Mills
Elland
West Yorkshire
HX5 9DZ

The information contained within this document is, to the best of our knowledge, accurate at the time of production.

We reserve the right to modify this document at any time.

Whilst every attempt has been made to accurately reproduce colours and textures, images used within this document are only intended as a guide.

Please refer to actual product samples before specifying or ordering.