

ARCHITECTURAL COLLECTION

AXIS

AX

Porcelain Stoneware

EN14411 Annexe G - Bl a

EPD 



WAXMAN CERAMICS
— Architectural Tiles —



AX-100
Ivory



AX-101
Beige



AX-102
Taupe



AX-103
Clay



AX-104
White




AX-105
Pearl



AX-106
Grey




AX-107
Coal




120x120cm




60x60cm



60x120cm



60x90cm



30x60cm



Matt

Slip Resistance		
	R9	

Dup

Slip Resistance		
	R10	+36

EXT & 20mm

Slip Resistance		
	R11	+36
	C	+36

Available Finishes

Matt - AX-10*.M

Dup - AX10*.D

EXT - AX10*.E

20mm - AX10*.T

*Finishes vary between sizes, see Size page for more details



AX-108
Pro Ivory



AX-109
Pro Beige



AX-110
Pro Taupe



AX-111
Pro Clay



AX-112
Pro White




AX-113
Pro Pearl



AX-114
Pro Grey



AX-115
Pro Coal




120x120cm



60x60cm



60x120cm



30x60cm



Matt

EXT

Slip Resistance		
	R9	

Slip Resistance		
	R11	+36
	C	+36

Available Finishes
Matt - AX-10*.M
EXT - AX10*.E

*Finishes vary between sizes, see Size page for more details




AX-116
Mix Taupe



AX-117
Mix White



AX-118
Mix Pearl



Matt			Dup			EXT & 20mm		
Slip Resistance			Slip Resistance			Slip Resistance		
	R9			R10	+36		R11	+36
							C	+36

Available Finishes
Matt - AX-10*.M
Dup - AX10*.D
EXT - AX10*.E
20mm - AX10*.T

*Finishes vary between sizes, see Size & Packaging page for more details





Axis Pearl
Axis Mix Pearl
Axis Coal



Axis Clay
Axis Pro White
Axis White



Axis Pearl
Axis Mix Pearl



Axis Mix Pearl



Axis Mix Pearl




Axis Mix White
Axis Pro White

SIZES

Porcelain Stoneware

AXIS



Ivory									
Beige									
Taupe									
Clay									
White									
Pearl									
Grey									
Coal									
Pro Ivory									
Pro Beige									
Pro Taupe									
Pro Clay									
Pro White									
Pro Pearl									
Pro Grey									
Pro Coal									
Mix Taupe									
Mix White									
Mix Pearl									

Matt Dup EXT 20mm

Size	Thickness	Internal Walls	External Walls	Internal Floors	External Floors	Frostproof	Colour Variation	Packing				
								Pcs / Ctn	M² / Ctn	Kg / Ctn	Ctns / Pallet	M² / Pallet
120 x120 cm	7.8mm	•	•	•		Yes	V2	2	2.88	49	24	69.12
60 x120 cm	7.8mm	•	•	•		Yes	V2	2	1.44	27	40	57.6
60 x60 cm	7.8mm	•	•	•		Yes	V2	4	1.44	27	40	57.6
30 x60 cm	7.8mm	•	•	•		Yes	V2	8	1.44	26.5	48	69.12
60 x120 cm	20 mm			•	•	Yes	V2	1	0.72	29.3	33	23.76
60 x90 cm	20 mm			•	•	Yes	V2	2	1.08	45	22	23.76
60 x60 cm	20 mm			•	•	Yes	V2	2	0.72	28.5	30	21.6
280 x120 cm	6mm	•	•	•		Yes	V2	1	3.36	52	20	67.2
160 x160 cm	8mm	•	•	•		Yes	V2	1	2.56	48.62	20	51.2

		Norm Standards	Test Results
	Product Classification	UNI EN 14411	Porcelain Stoneware EN14411 Annexe G Group Bla
	Dimensional and surface quality	UNI EN ISO 10545-2	Very Low Tolerance
	Water absorption	UNE-EN-ISO 10545-3	<=0.5%
	Flexural strength	UNI EN ISO 10545-4	EXT - 1600-2400 N
	Frost resistance	UNI EN ISO 10545-12	Resistant
	Resistance to acids and alkalis (except hydrofluoric acid)	UNI EN ISO 10545-13	A
	Wear and abrasion resistance	UNI EN ISO 10545-6	Resistant deep abrasion
	Thermal shock resistance	UNI EN ISO 10545-9	Not Apply
	Slip resistance	UNE 41901:2017 EX DIN 51130 DIN 51097 BS7976 (PTV) WET ANSI A326.3	Matt R9 EXT & 20mm R11 C / PTV Shod & Barefoot +36 Dup R10 B / PTV +36
	Colour resistance to sunlight exposure	DIN 51094	No change of colours
	Stain resistance	UNI EN ISO 10545-14	Class 5



 **01422 377123**

 **www.waxmanarchitectural.co.uk**

 **info@waxmanceramics.co.uk**

 **Waxman Ceramics**
Grove Mills
Elland
West Yorkshire
HX5 9DZ

The information contained within this document is, to the best of our knowledge, accurate at the time of production.

We reserve the right to modify this document at any time.

Whilst every attempt has been made to accurately reproduce colours and textures, images used within this document are only intended as a guide.

Please refer to actual product samples before specifying or ordering.