

ARCHITECTURAL COLLECTION

HU Series

HUE

Glazed Porcelain

EN14411 Annexe G - BI a

EPD 




WAXMAN CERAMICS
— Architectural Tiles —

TILE COLOURS

Glazed Porcelain

HUE


6x37cm




HU-100
Bianco



HU-101
Grigio



HU-102
Fango




HU-103
Nero




HU-104
Malva



HU-105
Beige




HU-106
Ocra




HU-107
Terra



HU-108
Verde



HU-109
Azzurro




HU-110
Blu

Slip Resistance		
	R9	+36




Hue Bianco, Azzurro





Hue Bianco, Grigio, Fango, Verde, Terra



Hue Bianco, Ocra, Malva



Hue Azzurro



Hue Verde, Malva; Lustró Malva

		Norm Standards	Test Results
	Product Classification	UNI EN 14411	Porcelain Stoneware EN14411 Annexe G Group Bla
	Dimensional and surface quality	UNI EN ISO 10545-2	Very Low Tolerance
	Water absorption	UNE-EN-ISO 10545-3	<=0.5%
	Flexural strength	UNI EN ISO 10545-4	>1300 N (≥ 7,5 MM) > 700 N (< 7,5 MM)
	Frost resistance	UNI EN ISO 10545-12	Resistant
	Resistance to acids and alkalis (except hydrofluoric acid)	UNI EN ISO 10545-13	Garunteed
	Wear and abrasion resistance	UNI EN ISO 10545-6	Not Apply
	Thermal shock resistance	UNI EN ISO 10545-9	Resistant
	Slip resistance	UNE 41901:2017 EX DIN 51130 DIN 51097 BS7976 (PTV) WET ANSI A326.3	R9 PTV +36 Shod

Size	Thickness	Internal Walls	External Walls	Internal Floors	External Floors	Frostproof	Colour Variation	Packing				
								Pcs / Ctn	M² / Ctn	Kg / Ctn	Ctns / Pallet	M² / Pallet
6x37cm	9mm	.	.	.		Yes	V3	46	1	21.3	50	50



 01422 377123

 www.waxmanarchitectural.co.uk

 info@waxmanceramics.co.uk

 **Waxman Ceramics**
Grove Mills
Elland
West Yorkshire
HX5 9DZ

The information contained within this document is, to the best of our knowledge, accurate at the time of production.

We reserve the right to modify this document at any time.

Whilst every attempt has been made to accurately reproduce colours and textures, images used within this document are only intended as a guide.
Please refer to actual product samples before specifying or ordering.